A breath of fresh air.®







D MARK®
The Carbon Filter Specialists®
SINCE 1970





Visit **www.dmarkinc.com**
Follow us on twitter **@dmarkinc**

A complete line of quality thin bed “Adsorptive” products for odor and pollution control serving the HVAC, air cleaning and appliance industries.

OdorGuard®

Removes Particulates, Odors and Gaseous Pollutants • Interchangeable with existing filters • UL Approved
Designed for light, medium and heavy duty applications • All products utilize CarbonWeb, flexible carbon filled fiber Filter Media

Panels and Pads

Panels [Die Cuts]

- GAC loadings: Grams/Sq. Ft.
  2" - 200, 300
- Three-stage filtration
- Merv 6 and 7
- Blends, see OdorGuard Plus

Pleats and Inserts



Pleats

- GAC loadings: Grams/Sq. Ft.
  1" - 25 or 100
  2" - 50 or 200
  4" - 100 or 300
- Two-stage filtration
- Merv 6 and 7
- Blends, see OdorGuard Plus

Ring Panels



Ring Panels

- GAC loadings: Grams/Sq. Ft.
  1" - 45
  2" - 300 or 345
- Three-stage filtration
- Merv 8 and 9
- Blends, see OdorGuard Plus

For additional information, please visit www.dmarkinc.com

Pads

- GAC loadings:
  300 or 600 Grams/Sq. Ft.
- Blends, see OdorGuard Plus
- Available in:
  Pads
  Blankets
  Die Cuts
  Metal Frames



Netting removed to show carbon pad.

Pleat Inserts

- Standard: OdorGuard sizes
- Special:
  Pads
  Blankets
  Die Cuts
  Metal Frames



Ring Panel Links

- Features as above
- Height: to 36"
- Length: Multiple panels



OdorGuard® | OdorGuard® Plus | CarbonWeb®

Removes Particulates, Odors and Gaseous Pollutants • Interchangeable with existing filters • UL Approved
Designed for light, medium and heavy duty applications • All products utilize CarbonWeb, flexible carbon filled fiber Filter Media

Rigid Cells



Rigid Cell [Box Style]

- Loadings:
  GAC: up to 7.8 lbs.
  Blends: up to 9.7 lbs.
- Merv 9
- Galvanized steel frame
- Standard HVAC sizes
- Special Sizes

Rigid Cell with Header

- Loadings are slightly reduced
- Other features/options unchanged

Filters



50/50 Blend

- Removes Odors and Light Gases
- A 50/50 blend, by volume, of GAC and impregnated activated alumina
- Plus Filters are available in all OdorGuard designs

Triple Blend

- Removes Odors and Light Gases
- Equal volumes of GAC, impregnated activated alumina and zeolite
- Triple Blend filters are available in many OdorGuard designs

Filter Media

CarbonWeb® Media

- Roll Media [1/4" or 3/8"]
  GAC Loadings: Grams/Sq. Ft.
  20, 30, 45 or 90
- Pad Media
  GAC Loadings: Grams/Sq. Ft.
  300, 600, 900 or 1200
- Blankets
- Blends, see OdorGuard Plus

For additional information, please visit www.dmarkinc.com

CarbonWeb® Filters

- Finished filters, 3/8" thru 4"
- Die cuts, pads, pleats or metal frames
- Pre-filters and/or after filters
- Blends, see OdorGuard Plus

Carbon & Adsorbent Filled Trays



Filled and Honeycomb Filters for:

- Front and Side Access Housings
- Heavy Duty Air Cleaners
- Fume Hoods
- Panel Applications

- Commercial Quality (60%) activated carbons
- Impregnated alumina and blends with activated carbon
- Thicknesses: [nominal
  Standard: 1/2", 5/8", 3/4", 1", 1-1/2" and 2"
  Special: Above 2", in 1/16" increments to 6"
- Options include:
  Paint
  Gaskets
  Pre and/or after filters
  Empty trays

Appliances - Air Cleaners



Activated Carbon, Aluminum and Honeycomb Filters for:

- Ductless and Vented
  Range Hoods
  Bath Fans

- Over the Range Microwave Ovens

- Air Cleaners
  Electronic
  Mechanical

- Current
- Non-Current
- Discontinued sizes and styles

UL Approved

For additional information, please visit www.dmarkinc.com

130 N. Groesbeck Hwy.
Mt. Clemens, MI 48043
www.dmarkinc.com

© Copyright 2012
Revised November 2012

D-MARK®
The Carbon Filter Specialists™
SINCE 1970

TOLL FREE: 800.343.3610
586.949.3610
fax: 586.949.4181
dmark@dmarkinc.com